


# Supplier Declaration of Conformity (SDoC)

In accordance with ISO/IEC 17050-1:2004

SDoC identification Number <sup>1</sup> - 13/8/2015	
<b>Issuer details</b>	
<b>Name<sup>2</sup></b> (of New Zealand manufacturer or importer)	<b>Contact Address</b>
<b>Lighting Direct Limited</b>	<b>10 Parkwood Place East Tamaki Manukau 2013</b>
<b>New Zealand Company Number</b> (if applicable)	
<b>Telephone</b>	<b>Fax</b>
<b>09 273 3444</b>	<b>09 273 3933</b>
<b>Email address</b>	
<b>customerservices@lightingdirect.co.nz</b>	
<b>Medium Risk Article – Details<sup>3</sup></b> (Product name, type, rating, brand, model, batch numbers, and serial numbers, as applicable)	
14819 LED SPOTS ARMENTO 1/L BC (31481)	
14820 LED SPOTS ARMENTO 2/L BC (31482)	
14821 LED SPOTS ARMENTO 3/L BC (31483)	
14822 LED SPOTS ARMENTO 4/L BC (31484)	
13615 LED SPOTS ARMENTO 1/L (93852)	
13616 LED SPOTS ARMENTO 2/L (93853)	
13617 LED SPOTS ARMENTO 3/L (93854)	
13618 LED SPOTS ARMENTO 4/L (93855)	
<b>The medium risk article listed above, fully complies with the standard(s), as listed:-</b>	
<b>Standard number &amp; issue year:-</b> LED: IEC60598-1 2008 ,IEC60598-2-6: 1994+A1 AS/NZS 60598.1 2003; AS/NZS 60598.2.6 : 1998 LED DRIVER: IEC 61347-1:2007; IEC61347-2-13:2006 AS/NZS 61347-1 2002 (AS/NZS Deviation Only)	
<b>Standard Title:</b> AS/NZS 60598.2.6 : 1998 :Particular requirements – Luminaires with built-in transformer or convertors for filament lamps AS/NZS 61347-2-13 Particular requirements for d.c or a.c supplied control gear for LED modules.	
<b>Edition / Amendment status:-</b> IEC 60598-2-6:1994+A1:1996 IEC 60598-1:2008	
<b>Or complies with the Conformity Cooperation Agreement - Yes / No</b> (Delete as applicable)	
Names and addresses of any testing organisation or body	
<b>Name(s)</b>	<b>Address(es)</b>
Staatliche Versuchsanstalt – TGM Elektrotechnik und Elektronik	A-1200 Wien, Wexstrasse 19-23
Wakefield Laboratories Limited	54 Tarnedale Grove, Albany, Auckland 1331, New Zealand
Reference to relevant test reports/certification, and issue date of the reports/certification, that show how compliance is achieved:-	
<b>Report/Certification N°(s)</b>	<b>Issue date(s)</b>
<b>Test Report number: TGM-VA EE 35864SFT</b>	<b>Issued 15/12/2014</b>
<b>Reference to any management systems involved:-</b>	
<b>Additional<sup>4</sup> information</b>	
<b>Declaration</b>	
I hereby declare that the above specified fittings or electrical appliances comply with the requirements of Regulation 83 of the Electricity (Safety) Regulations 2010  	<b>Signed for and on behalf of:</b>  <b>Lighting Direct Limited</b>  <b>Name<sup>5</sup> &amp; position, as authorized by the issuer</b> <b>W. FULFORD</b> <b>Director</b> <b>Signature</b> <span style="float: right;"><b>Date</b></span>
<b>Issuer Identification:</b> (as affixed to the article)	  13/8/2015

<sup>1</sup> Every declaration of conformity should be uniquely identified.

<sup>2</sup> The responsible issuer must be unequivocally specified.

<sup>3</sup> The “Article” must be unequivocally described so that the declaration of conformity may be related to the article in question. For mass-produced products, it is not necessary to give individual serial numbers. Where variants of an article are to be covered, these must be detailed.

<sup>4</sup> Text should appear here only if any limitation on the validity of the declaration of conformity and/or any additional information are given.

<sup>5</sup> Full name and function of the signing person(s) authorised by the issuer's management to sign on its behalf should be given. The number of signatures, or equivalent, included will be the minimum determined by the legal form of the issuer's organization.

## Continuing validity of the declaration of conformity

The issuer of the declaration of conformity shall have procedures in place to ensure the continued conformity of the medium risk article, as delivered or accepted, with the stated requirements of the declaration of conformity.

The issuer of the declaration of conformity shall have procedures in place to re-evaluate the validity of the declaration of conformity, in the event of:-

- a) changes significantly affecting the article design or specification,
- b) changes to the standards which conformity of the article is stated,
- c) changes in the ownership or structure of management of the supplier,
- d) if relevant, or relevant information indicating that the article may no longer conform to the specified requirements.

## Additional information regarding the declaration

“Issuer Identification” as affixed to the article:- this marking should identify the issuer of the SDoC and may be for example in the form of a NZ GST N°, NZ Company N°, Unique NZ brand name or trademark, or SCN issued by Radio Spectrum Management (this number can be used, even if a C-tick is not required for the article), etc. Failure to mark a product with such unique identification may result in the issuer being held responsible for compliance of an article that may not have been supplied by the issuer, unless the issuer can prove otherwise! This is particularly relevant where the same or very similar model is or may be imported or manufactured, by other NZ suppliers.

A copy of the SDoC and test report(s) (certification) and/or other supporting compliance documentation must be available, if the supporting compliance documentation is not available directly from issuer, the name and address of from where it can be obtained from, must be provided by any supplier within the New Zealand supply chain. (Note: A copy of the SDoC and supporting documentation must be available within 10 working days after being asked to do so, by Energy Safety, a purchaser, or other consumer, of the article declared).

A person who sells or offers for sale, a declared medium risk article commits an offence, if at the time of sale or offer to sell, a valid declaration of conformity for the article has not been made, or the person cannot provide a copy of the declaration of conformity, along with the required supporting documentation, within the timeframe allowed. Penalties associated with a grade A offence are fines, not exceeding \$10,000 for an individual or \$50,000 for a body corporate (company) if successfully prosecuted, or a fixed infringement fee, of \$1,000 for an individual or \$3,000 for a body corporate (company).

Listings of the current regulatory definitions for electrical equipment deemed to be medium risk articles, can be found at: [http://www.energysafety.govt.nz/templates/MultipageDocumentTOC\\_24889.aspx](http://www.energysafety.govt.nz/templates/MultipageDocumentTOC_24889.aspx) within the Energy Safety website: <http://www.energysafety.govt.nz>

This form can be edited to increase any text box size, in order to insert more detail, than the current space allows, if required.

This is an example ISO/IEC 17050-1 form for a recognised declaration of conformity; any other form complying with the requirements of ISO/IEC 17050-1:2004, may be used instead, for the purpose of Electricity Regulation 83.

Nothing prevents this form being extended to act as an SDoC, for other regulatory purposes.

**THIS COMPLETED FORM REMAINS WITH THE ISSUER AS PART OF THE DOCUMENTATION  
REQUIRED AS EVIDENCE OF COMPLIANCE  
DO NOT SUBMIT A COPY OF THIS FORM TO ENERGY SAFETY, UNLESS SPECIFICALLY  
REQUESTED TO DO SO**